

# **APPENDIX D**

Historic Records for Hazardous Waste Storage Area

### **HWSA HISTORIC RECORDS INDEX**

Document Title	Date	Prepared By:
RCRA Facility Assessment Final Report	3/19/1990	PRC Environmental Management, Inc.
Plot Plan Zone 1 Rev 3	6/24/1987	Monsanto
Plot Plan Zone 1 Rev 1	9/12/1984	Monsanto

Micker Distriction

RCRA CONFIDENTIAL
BUSINESS INFORMATION
DOES NOT CONTAIN NATIONAL
SECURITY INFORMATION (E012065)

RHONE-POULENC, INC. MARGINAL WAY FACILITY SEATTLE, WASHINGTON

RCRA FACILITY ASSESSMENT

FINAL REPORT

Prepared For

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Waste Programs Enforcement Washington, D.C. 20460

Work Assignment No. : R10005

EPA Region : 10 Site No. : WAD009

 Site No.
 :
 WAD009282302

 Date Prepared
 :
 March 19, 1990

 Contract No.
 :
 68-W9-0009

 PRC No.
 :
 012R1000503

Prepared by : PRC Environmental

Management, Inc.
Gary A. Bruno
Telephone No.
206/624-2692

EPA Primary Contact : Chae Pak
Telephone No. : 206/442-5153

MAR SAISE

**文献等的人的**有"数"。第二次数据

section (Figure 8). The waste storage area is constructed of a reinforced concrete floor with 63-inch-high concrete walls on three sides. The front of the waste storage area has open access. The floor and entranceway to the waste storage area slope towards drainage collection grates that channel water to a 1300-gallon-capacity sump. Any potential leachate from the open-ended storage tank, drum storage section, or product storage section as well as run-on rain water would drain to the sump and be recycled to the process system. The walled part of the waste storage area is roofed. A 6-inch concrete berm extends about 18 feet from each side wall towards the southern open end of the waste storage area (Photo 2) (Monsanto, 1986e; WDOE, 1985d; and RPI, 1989e).

### **Status**


The RCRA hazardous waste storage area is active in that a small amount of VSB (a nonhazardous byproduct) are currently being stored on pallets on the east side of the area (Photo 3, 4). RPI notified WDOE on October 10, 1986, of its intent to change the status of this hazardous waste storage area from a RCRA interim status waste storage area to a less-than-90-day hazardous waste accumulation area. The hazardous waste storage area is currently being prepared for closure. RPI apparently has stored wastes at this area for periods of less than 90 days since acquiring plant ownership on October 1, 1986 (WDOE, 1985d; EPA, 1988b; and RPI, 1989e).

#### Waste Type

Methylene chloride is the only RCRA-designated hazardous waste (F002) stored in this area. Other designated wastes are classified as either dangerous or extremely dangerous wastes under Washington State Dangerous Waste definitions. These include copper-contaminated strainer solids (WT01), waste degreasing solvents (e.g. Kingsolv) (WT01), and used Peneteck oil residue (WT02) (Monsanto, 1986e; WDOE, 1989d; and RPI, 1989e). VSB, a nonhazardous byproduct of the vanillin purification process, have been stored in the product section of this storage area (EPA, 1988b; and RPI, 1989e).

## Waste Management

The RCRA hazardous waste storage area consists of separate storage sections—an openended tank storage section for strainer solids, a section for drummed wastes, and a section for VSB and various other products. The waste storage area has a reinforced concrete floor and walls. The floor and entryway slope towards drainage collection grates that



From: RPI, 1989e (Original Figure 2)

Figure 8. RCRA Hazardous Waste Storage Area

channel water to a 1300-gallon-capacity sump. Drainage water can be recycled to the plant's vanillin process system. All waste materials stored here have been assessed for incompatibility to ensure safe storage practices. The storage area has been roofed since about August, 1986. Side entrances to the facility are bermed. All materials brought to this storage site are logged into a notebook located near the facility entrance (Monsanto, 1986e; EPA, 1988b; and RPI, 1989e). Pending closure of this waste storage area, no strainer solids or drummed wastes are being stored here. Strainer solids are being kept temporarily in dumpsters near collection points throughout the plant. Drummed wastes of methylene chloride and solvents are being stored at SWMU Nos. 5 and 7, respectively.

### Environmental Releases

There are no recorded releases of any hazardous wastes from this waste storage area. However, before the roof was installed in 1986, the dry unconsolidated materials were exposed to wind and rain. A concern for site contamination was noted in a WDOE inspection report (WDOE, 1986e).

### Human and Environmental Targets

Environmental contamination could potentially occur to the air and soil from this hazardous waste storage area in extreme weather conditions. The dry, unconsolidated, copper-contaminated strainer solids are susceptible to wind dispersion. However, the waste storage area is now roofed. If the drainage sump becomes blocked, a situation that was noted during a WDOE inspection (WDOE, 1986e), leachate and run-on water could overflow from the area and contaminate surrounding soils. Although it is unlikely, a large overflow could drain westward into the Duwamish River Waterway. The plant's closed drainage system, however, would help prevent such a run-off from the RPI property. Overall, there appears to be minimal risk of exposure to any human or environmental targets from this waste storage area.

### 3.2 SWMU NO. 2--STORAGE AND DISTRIBUTION CENTER BUILDING COMPLEX

#### **Description**

The storage and distribution center building complex is located on the northwest side of the RPI property, just south of SWMU No. 1 (Figure 2). The Storage building noted as the "Old Meal Bin", was a dry glue and resin process area from the late 1940s to about 1970. Since about 1970, when Monsanto discontinued dry glue and resin processing, the

